

# 2015 Dodge Ram Torque Guide

---

## [Book] 2015 Dodge Ram Torque Guide

As recognized, adventure as capably as experience about lesson, amusement, as capably as deal can be gotten by just checking out a books 2015 Dodge Ram Torque Guide moreover it is not directly done, you could receive even more vis-vis this life, roughly the world.

We manage to pay for you this proper as capably as easy mannerism to get those all. We meet the expense of 2015 Dodge Ram Torque Guide and numerous books collections from fictions to scientific research in any way. among them is this 2015 Dodge Ram Torque Guide that can be your partner.

## 2015 Dodge Ram Torque Guide

### **2015 Ram 2500 Trailer Towing Chart - SAE J2807 Compliant**

2015 Ram 2500 Trailer Towing Chart - SAE J2807 Compliant CREW CAB SHORT BOX 4X2 CREW CAB SHORT BOX 4X2 CANADA ONLY CREW CAB LONG BOX 4X2 Axle Ratio GVWR Payload Base Weight GAWR 1 Payload and Max Trailer Weights are ESTIMATED values 2 All values are shown in pounds unless otherwise stated 3

### **2015 RAM 1500 Trailer Towing Chart - SAE J2807 Compliant**

2015 RAM 1500 Trailer Towing Chart - SAE J2807 Compliant GAWR Engine Axle Ratio 1 Payload and Max Trailer Weights are ESTIMATED values 2 All weights are shown in pounds unless otherwise stated 3 Payload and Max Trailer Weight values are rounded ...

### **2015 Ram 1500 Specifications**

2015 Ram 1500 Specifications ENGINES 36L PENTASTARTM V6 30L ECODIESEL V6 57L HEMI® V8 Horsepower 305 @ 6,400 rpm 240 @ 3,600 rpm 395 @ 5,600 rpm Torque — lb-ft 269 @ 4,175 rpm 420 @ 2,000 rpm 410 @ 3,950 rpm

### **2015 Ram ChassisCab Specifications Chart v3**

Ram 3500/4500/5500 Chassis Cab 57L HEMI ® Gas V8 64L HEMI V8 67L Cummins ® Turbo Diesel I-6 67L Cummins High-Output Turbo Diesel I-6 MAXIMUM WEIGHTS, PAYLOAD, TOWING\* (when properly equipped) REGULAR CAB 60" CA REGULAR CAB 84" CA CREW CAB 60" CA 383 @ 5,600 rpm 320 @ 2,900 rpm 325 @ 2,900 rpm 4x2 4x4 4x2 4x4 4x2 4x4

### **457377 2018 Torque specification guide**

457377 2018 Torque specification guide Front & rear axle nut, hub mount and lug nut torque specifications for FWD, RWD & 4WD vehicles

### **SKF Torque specification guide - Justhost.com**

Use a qualified, calibrated torque wrench Do not use an impact gun to install the axle nut The impact gun will damage the axle nut It will also leave

your spindle nut under or over torque resulting in hub assembly failure Ensure that you have the correct torque for the application by referring to SKF 457377 torque specification guide or

### **INSTALLATION INSTRUCTIONS - Westin Automotive**

2009-2015 Dodge Ram 1500 Regular/Crew/Quad Cab 2010-2015 Dodge Ram 2500/3500 Regular/Crew Cab PART NUMBER: 21-3540, 21-3545, 21-3550, 21-3555, 21-3560, 21-3565 ITEM QUANTITY DESCRIPTION TOOLS NEEDED 1,2 2 SIDE STEP BAR 18MM SOCKET 3,4 2 FRONT MOUNTING BRACKET 19MM SOCKET 5,6 2 FRONT SUPPORT BRACKET 16MM SOCKET

### **PTO General Guidelines - Dodge Body Builder's Guide**

The Ram 3500/4500/5500 Chassis cab models equipped with gas and diesel engines that have the PTO prep option (LBN) have the capability of mounting and controlling a PTO The Aisin AS69RC automatic transmission can use devices up to 60HP and 250 ft lbs torque While the model,

### **Front Wheel Hub Torque Specifications - Transbec**

Front Wheel Hub Torque Specifications Dodge / Plymouth 600, Caravelle FWD 88 - 82 180 244 Aries, Reliant 89 - 81 180 244 Avenger 00 - 95 167 226 Breeze 00 105 142 Breeze 99 - 96 180 244 Ram 1500 Pickup 2WD 01 - 00 185 251 Ram 1500 Pickup 4WD 03 - 02 185 251

### **PTO General Guidelines - Dodge Body Builder's Guide**

Jun 19, 2012 · The Dodge Ram 3500/4500/5500 Chassis cab models equipped with diesel engines that have the PTO prep option (LBN) have the capability of mounting and controlling a PTO The gasoline powered models do not have PTO capability The Aisin AS68RC Automatic transmission can use devices up to 35 HP and 130 ft-lbs torque

### **Makes - Mopar Repair Connection**

RLX 2015-2014 Front Disc Brake Rotor 1AMVR10431 RLX 2015-2014 Rear Disc Brake Rotor 1AMVR20342 RSX 2006-2004 Base; Front Min TH (Discs)/Max Diameter (Drums) (mm): 19 Disc Brake Rotor 1AMVR10170 RSX 2006-2002 Base; Front Min TH (Discs)/Max Diameter (Drums) (mm): 23 Disc Brake Rotor 1AMVR10192

### **WHEEL NUT TORQUE SPECIFICATIONS (shown in ft. lbs.)**

WHEEL NUT TORQUE SPECIFICATIONS (shown in ft lbs) MAKE/MODEL YEARS TORQUE ACURA All Models Except: 2012-90 80 ILX, TSX, ZDX 2013 65 MDX, RDX 2013 85 RL 2012-05 94 TL 2013 85 TL 2012-09 94 ZDX 2012-10 94 AUDI All Models 1997-90 81 All Models Except: 2011-98 89 5000 Series 1988 81 Cabriolet 1998-94 81 RS2 2011 96

### **Chrysler Drive Cycle Information**

Chrysler Drive Cycle Information Copyright 1999-2005, EASE Diagnostics All rights reserved Information is subject to change without notice

### **Torque Tables - Olympic Brake Supply**

4 Locate the specific engine desired Correct torque specifications are shown in foot-pounds in bold type Torque specifications are shown either as an exact figure, or a specific range Follow any special instructions or multi-step directions carefully to assure correct final torque

### **AT MOPAR TURN CARS INTO**

torque gains under varying atmospheric conditions, fits your exact vehicle model, and has been rigorously tested to ensure its unparalleled quality Kit includes all mounting hardware and a dry media, washable/reusable filter (do not oil) See representative image (Fig a) Cold Air Intake System, Long Ram 2008-2010, Challenger, 57L/61L, P/N

### **2016 RAM 1500/2500/3500 Truck Owner's Manual**

1500/2500/3500 owner's manual 2016 ram truck \e ghglry3u rqpldrduwiq,

**PERFORMANCE PARTS**

DODGE CHALLENGER 08 Air Induction Systems 09 Exhaust Systems torque gains under varying atmospheric conditions, fits your exact vehicle model and has been rigorously tested to ensure its unparalleled quality Kit 2015-2018, Challenger, P/N 77072385 (Fig b)

**2013 Ram Truck 1500/2500/3500 Owner's Manual**

1500/2500/3500 Chrysler Group LLC OWNER'S MANUAL 2013 2013 RAM TRUCK 1500/2500/3500 13D241-126-AB First Edition Printed in USA  
RAM TRUCK E\ GHGL3RYURQLWPRDUIQ,